

To: Flanagan, Sarah[Flanagan.Sarah@epa.gov]
From: Dinkins, Carol
Sent: Wed 1/8/2014 10:44:14 PM
Subject: RE: information for RM 10.9

Sarah, many thanks for this information and your prompt reply. It never occurred to me that your voice mail was cheating on you. Carol

From: Flanagan, Sarah [mailto:Flanagan.Sarah@epa.gov]
Sent: Wednesday, January 08, 2014 4:42 PM
To: Dinkins, Carol
Subject: RE: information for RM 10.9

Carol,

Glad you emailed because our voice mail seems not to have been working yesterday.

I am attaching the May 2, 2013 letter from the Jersey City Municipal Utilities Authority (JCMUA), as well as the July 26, 2013 letter, which was provided in hard copy at our meeting on November 19, 2013 along with the CH2M Hill letter and Ocean Surveys Inc report dated June 13, 2013. Separately I am going to forward an email from JCMUA with some attached figures.

I will have to get back to you on the other items you have requested.

Regards,

-Sarah

Sarah P. Flanagan
Office of Regional Counsel, NJ Superfund Branch
USEPA, Region 2
290 Broadway, 17th Floor
New York, NY 10007
Tel: 212-637-3136

This email may contain material that is confidential, privileged and/or attorney work product for the sole use of the intended recipient. Any review of, reliance on, or distribution by others or forwarding without the express permission of the sender is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies.

From: Dinkins, Carol [<mailto:cdinkins@velaw.com>]
Sent: Wednesday, January 08, 2014 4:12 PM
To: Flanagan, Sarah
Subject: information for RM 10.9

Sarah, in follow-up to the voice mail message that I left you yesterday, Tierra is evaluating how to conduct a study to identify the location of the two 72 inch water mains in the vicinity of RM 10.9 and requests of EPA and would appreciate receiving the following:


1. Boring/coring logs for any CPG or EPA sampling conducted within the area of the 30 foot offset of the two water mains.
2. Any information in response to EPA or CPG inquiries as to the ownership of the water mains and contact information, including the May 2, 2013 letter referenced in the second paragraph of the letter from Ch2MHill to JCMWA that was attached to your December 23, 2013 letter.
3. DOT design and/or as-built drawings for Rt. 21 in the area where the water mains cross it.

Tierra has requested other information from JCMWA; a copy of that letter request is attached. Again, what is requested above and also from JCMWA is needed for Tierra to develop a field plan to locate the water mains.

Given the difficulty that we have continuously had in trying to coordinate with the CPG, we are asking EPA's assistance. Please do not hesitate to let me know if you have any questions. As always, thank you for your assistance.

Regards, Carol

Carol E. Dinkins
Partner



Vinson & Elkins LLP
Attorneys at Law
1001 Fannin Street, Suite 2500
Houston, TX 77002-6760
Tel +1.713.758.2528
E-mail cdinkins@velaw.com



Treasury Circular 230 Disclosure: To the extent this communication contains any statement regarding federal taxes, that statement was not written or intended to be used, and it cannot be used, by any person (i) as a basis for avoiding federal tax penalties that may be imposed on that person, or (ii) to promote, market or recommend to another party any transaction or matter addressed herein.

CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. This email is intended to be reviewed by only the individual or organization named above. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system.

Thank You.
